



**SECTION E CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Britt DeMuth AZ PLS 15853  
 CERTIFIER'S NAME LICENSE NUMBER (or Affix Seal)  
Registered Land Surveyor ARTECH DESIGN, INC  
 TITLE COMPANY NAME  
PO Box 494 FLAGSTAFF ARIZONA 86001  
 ADDRESS CITY STATE ZIP  
Britt DeMuth 4-25-95 (520) 774-4409  
 SIGNATURE DATE PHONE

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: See attached exhibit (11"x17") for determination of floodplain extent.



SW




**FLOODPLAIN DELINEATION FOR LOT 2 OF LAKE MARY PARK, COCONINO COUNTY, ARIZONA:**

Lake Mary Park Amended is defined in the plat for same recorded as Case 1, Page 131, Coconino County Records. The area is subject to the 100 year flood as depicted in FEMA map #040019 3778.

The USGS 7-1/2' quadrangle of "Lower Lake Mary" was used as a basis for marrying these documents together. All three references were scaled to 1" = 200' and plotted hereon.

The 100 year floodplain crosses the lower one-third of Lot 2 and drops from an elevation of 6824.1 to 6823.6. The location of the proposed house has an existing elevation of 6825.2.

A picture point elevation at the section corner to the southwest was used from the USGS quadrangle to establish a benchmark at the site for future building purposes. The finish floor should be 6825.1 or higher.



<b>az tech design, inc.</b> P.O. BOX 494 FLAGSTAFF, ARIZONA 86002 (602) 774-4409	Revision	By
	Des. _____	Dwn. _____
	Chk. _____	

SHEET  
1 of 1

JOB 95008  
ID: COOK

114-06-004

SET 60d NAIL  
FACE 36" PI  
ELEV. = 6832.

